

IdeaPad 5 15ARE05 81YQ00LDCK

Product

IdeaPad 5 15ARE05

Region

EET

Country/Region

Czech, Slovakia

Machine Type

81YQ

TopSeller

TopSeller

Processor

AMD Ryzen 5 4500U (6C / 6T, 2.3 / 4.0GHz, 3MB L2 / 8MB L3)

Graphics

Integrated AMD Radeon Graphics

Chipset

AMD SoC Platform

Memory

8GB Soldered DDR4-3200

Storage

256GB SSD M.2 2242 PCIe 3.0x2 NVMe

Display

15.6" FHD (1920x1080) TN 250nits Anti-glare, 45% NTSC

Touchscreen

None

Optical

None

Card Reader

4-in-1 Card Reader

Ethernet

None

WLAN + Bluetooth

11ax, 2x2 + BT5.1

Camera

720p with Privacy Shutter

Microphone

2x, Array

Surface Treatment

Anodizing

Case Color

Light Teal

Case Material

Aluminium (Top), PC + ABS (Bottom)

Keyboard

Non-backlit, Czech / Slovak

Fingerprint Reader

None

Security Chip

Firmware TPM 2.0

Battery

Integrated 70Wh

Power Adapter

65W Round Tip

Operating System

Windows 10 Home 64, Czech / Slovak / English

Bundled Software

Office Trial

Base Warranty

2-year, Depot

Bundled Service

None

EAN / UPC / JAN

195713223454

End of Support

2026-05-14

Announce Date

2020-12-21

 WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.



AMD

Lenovo™

IdeaPad 5 15ARE05 Platform Specifications

Product Specifications Reference (PSREF)



Processor	<p>AMD Ryzen™ Mobile Processors with Radeon™ Graphics</p> <table border="1"> <thead> <tr> <th>Processor Number</th> <th># of Cores</th> <th># of Threads</th> <th>Base Frequency</th> <th>Max Turbo Frequency</th> <th>Cache</th> <th>Memory Types</th> <th>Processor Graphics</th> </tr> </thead> <tbody> <tr> <td>Ryzen 3 4300U</td> <td>4</td> <td>4</td> <td>2.7 GHz</td> <td>3.7 GHz</td> <td>2MB/L2 4MB/L3</td> <td rowspan="4">DDR4-3200</td> <td rowspan="4">AMD Radeon Graphics</td> </tr> <tr> <td>Ryzen 5 4500U</td> <td rowspan="2">6</td> <td>6</td> <td>2.3 GHz</td> <td>4.0 GHz</td> <td rowspan="2">3MB/L2 8MB/L3</td> </tr> <tr> <td>Ryzen 5 4600U</td> <td>12</td> <td>2.1 GHz</td> <td>4.0 GHz</td> </tr> <tr> <td>Ryzen 7 4700U</td> <td rowspan="2">8</td> <td>8</td> <td>2.0 GHz</td> <td>4.1 GHz</td> <td rowspan="2">4MB/L2 8MB/L3</td> </tr> <tr> <td>Ryzen 7 4800U</td> <td>16</td> <td>1.8 GHz</td> <td>4.2 GHz</td> </tr> </tbody> </table>	Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics	Ryzen 3 4300U	4	4	2.7 GHz	3.7 GHz	2MB/L2 4MB/L3	DDR4-3200	AMD Radeon Graphics	Ryzen 5 4500U	6	6	2.3 GHz	4.0 GHz	3MB/L2 8MB/L3	Ryzen 5 4600U	12	2.1 GHz	4.0 GHz	Ryzen 7 4700U	8	8	2.0 GHz	4.1 GHz	4MB/L2 8MB/L3	Ryzen 7 4800U	16	1.8 GHz	4.2 GHz	<p>Media reader Ports</p> <p>4-in-1 media reader (MMC, SD, SDHC, SDXC) Two USB 3.2 Gen 1 (one Always on) one USB 3.2 Type-C Gen 1 (with the function of PD 3.0 and DP 1.2), HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), AC power adapter jack, headphone / microphone combo jack <i>* Depending on many factors, actual data transfer speed may be lower than theoretical speed</i></p> <p>Camera</p> <p>HD720p, 1.0MP resolution, with privacy shutter, fixed focus, bump camera, with dual array microphone</p> <p>Audio support</p> <p>HD Audio, Dolby Audio™, stereo speakers, 2W x 2, dual array microphone, headphone / microphone combo jack</p> <p>Keyboard Touchpad</p> <p>6-row, multimedia Fn keys, numeric keypad, optional LED backlight Buttonless Mylar surface multi-touch touchpad</p> <p>Security</p> <p>Power-on password, hard-disk password, supervisor password</p> <p>Security chip</p> <p>Firmware TPM 2.0 integrated in chipset</p> <p>Fingerprint reader</p> <p><i>Optional:</i> Touch style fingerprint reader on power button</p>
Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics																															
Ryzen 3 4300U	4	4	2.7 GHz	3.7 GHz	2MB/L2 4MB/L3	DDR4-3200	AMD Radeon Graphics																															
Ryzen 5 4500U	6	6	2.3 GHz	4.0 GHz	3MB/L2 8MB/L3																																	
Ryzen 5 4600U		12	2.1 GHz	4.0 GHz																																		
Ryzen 7 4700U	8	8	2.0 GHz	4.1 GHz	4MB/L2 8MB/L3																																	
Ryzen 7 4800U		16	1.8 GHz	4.2 GHz																																		
Graphics	<p>AMD Radeon Graphics in processor; supports external digital monitor via HDMI or USB-C; supports three independent displays; Max resolution: 3840x2160@30Hz (HDMI); 3840x2160@30Hz (USB-C)</p>	<p>Battery</p> <p>Integrated Li-Polymer 45Wh, 57Wh or 70Wh battery,</p> <table border="1"> <thead> <tr> <th>Battery</th> <th>Support Rapid charge (charge up to 80% in 1hr)</th> </tr> </thead> <tbody> <tr> <td>45Wh</td> <td>with 65W or 95W AC dapter</td> </tr> <tr> <td>57Wh</td> <td>with 65W or 95W AC dapter</td> </tr> <tr> <td>70Wh</td> <td>with 95W AC adapter</td> </tr> </tbody> </table>	Battery	Support Rapid charge (charge up to 80% in 1hr)	45Wh	with 65W or 95W AC dapter	57Wh	with 65W or 95W AC dapter	70Wh	with 95W AC adapter																												
Battery	Support Rapid charge (charge up to 80% in 1hr)																																					
45Wh	with 65W or 95W AC dapter																																					
57Wh	with 65W or 95W AC dapter																																					
70Wh	with 95W AC adapter																																					
Chipset	<p>AMD SoC (System on Chip) platform</p>	<p>Max battery life</p> <p><i>MobileMark® 2014:</i> 11.5 hr (45Wh), 14 hr (57Wh) or 17 hr (70Wh) <i>* Battery life varies significantly with hardware configurations, settings, usage, & other factors</i></p>																																				
Memory	<p>4GB, 8GB or 16GB / 3200MHz DDR4, soldered to systemboard, dual-channel capable (8GB, 16GB only), no socket</p>																																					
Display	<p>One of the following, configurable by model:</p> <table border="1"> <thead> <tr> <th>Size</th> <th>Resolution</th> <th>Type</th> <th>Surface</th> <th>Brightness</th> <th>Aspect Ratio</th> <th>Color Gamut</th> </tr> </thead> <tbody> <tr> <td>15.6"</td> <td>FHD (1920x1080)</td> <td>TN</td> <td>Anti-glare</td> <td>250 nits</td> <td>16:9</td> <td>45% NTSC</td> </tr> <tr> <td>15.6"</td> <td>FHD (1920x1080)</td> <td>WVA</td> <td>Anti-glare</td> <td>300 nits</td> <td>16:9</td> <td>45% NTSC</td> </tr> <tr> <td>15.6"</td> <td>FHD (1920x1080)</td> <td>WVA</td> <td>Anti-glare</td> <td>300 nits</td> <td>16:9</td> <td>100% sRGB</td> </tr> </tbody> </table>		Size	Resolution	Type	Surface	Brightness	Aspect Ratio	Color Gamut	15.6"	FHD (1920x1080)	TN	Anti-glare	250 nits	16:9	45% NTSC	15.6"	FHD (1920x1080)	WVA	Anti-glare	300 nits	16:9	45% NTSC	15.6"	FHD (1920x1080)	WVA	Anti-glare	300 nits	16:9	100% sRGB								
Size	Resolution	Type	Surface	Brightness	Aspect Ratio	Color Gamut																																
15.6"	FHD (1920x1080)	TN	Anti-glare	250 nits	16:9	45% NTSC																																
15.6"	FHD (1920x1080)	WVA	Anti-glare	300 nits	16:9	45% NTSC																																
15.6"	FHD (1920x1080)	WVA	Anti-glare	300 nits	16:9	100% sRGB																																
Multi-touch (opt)	<p>On-cell touch, support 10-finger gesture</p>	<p>AC adapter</p> <p>65W round tip / USB-C or 95W USB-C AC adapter</p>																																				
Storage	<p>Up to 2 drives (one HDD and one M.2 SSD):</p> <ul style="list-style-type: none"> HDD / SATA 6.0Gb/s, 2.5" wide, 7mm high M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 	<p>Preload (optional) <i>Preloaded operating system</i></p> <ul style="list-style-type: none"> Windows® 10 Home 64 Windows 10 Home in S mode Windows 10 Pro 64 <p><i>Preloaded applications (only some listed)</i></p> <ul style="list-style-type: none"> Microsoft Office Trial (with 30-day license) Microsoft Office Home and Student 2019 Microsoft Office Home and Business 2019 Microsoft Office Professional 2019 Microsoft Office Personal 2019 Microsoft 365 Family Microsoft 365 Personal 																																				
Optical (optional)	<p>External DVD burner, 9.5mm high</p>	<p>Limited warranty</p> <p>One of the following, configurable by model:</p> <ul style="list-style-type: none"> 1-year depot repair service 1-year depot with 2-year system board repair service 2-year/1-yr battery depot repair service 																																				
Ethernet	<p>None</p>	<p>Environment</p> <p>ENERGY STAR® 8.0; ErP lot3; RoHS-compliant</p>																																				
WLAN + Bluetooth™	<p>One of the following, configurable by model:</p> <ul style="list-style-type: none"> 802.11ac 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card 																																					
Dimensions	<p><i>Aluminum bottom model:</i> 14.04" x 9.18" x 0.67"; 356.67mm x 233.13mm x 16.9mm <i>Plastic bottom model:</i> 14.04" x 9.18" x 0.7"; 356.67mm x 233.13mm x 17.9mm</p>																																					
Weight	<p>Starting at 3.66 lb / 1.66 kg</p>																																					
Case color	<p>Graphite grey, light teal or platinum grey, abyss blue</p>																																					
Case material	<p><i>Display cover:</i> Aluminum <i>Bottom:</i> PC/ABS plastic or Aluminum</p>																																					

Note: The specifications above may not be available in all regions and might change by region.

IdeaPad 5 15ARE05



AMD



AMD



AMD



AMD



AMD



AMD