Modern AM242TP 11M

Be Your Window To The World

The MSI Modern Series All-in-One PC is no longer just a functional product solely focused on meeting users' demands, it is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.

Selling Points

Modern AM242TP 11M

- Windows 10 Home. MSI doporučuje Windows 10 Pro pro firmy
  Bezplatný upgrade na Windows 11 jakmile bude k dispozici
- 23,8" IPS panel s LED podsvícením (rozlišení 1920x1080 FHD)
- Intel® Tiger Lake procesory s podporou pamětí DDR4
- včetně vestavěné webkamery
- MSI Anti-Flicker & Less Blue Light redukuje modré světlo pro ochranu vašich očí
- polohovatelný stojan se přizpůsobí vašim potřebám pro práci či studium z domova
- dotyková technologie In-cell 10-point (až 10 prstů na obrazovce najednou) pro naprosto intuitivní ovládání doma i v kanceláři
- technologie Instant Diplay umožňuje použít AIO jako monitor bez nutnosti bootování
- MSI Storage Rapid Upgrade Design – jednoduše přidejte kapacitu nebo vyměňte váš 2,5" disk
- USB 3.2 Gen 2 Type C s oboustranným konektorem & USB 3.2 Gen 2 T ...

Picture and logos: Pictures Business & Productivity All-in-One PC

1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI in
9. 1x HDMI out
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN

Modern AM242TP 11M

MODERN AM242TP 11M-841EU

12. 1x USB 2.0 Type A

Specification

Color	ID1/Black-Black-Black
Screen Size	23.8" (60cm)
Active Display Area (mm)	527.04mm(H) x 296.46mm(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.2745(H)x0.2745(V)
Brightness (nits)	250
Contrast Ratio	1000:1
Signal Frequency	N/A
Response Time (GTG)	14 ms
View Angles	178°(H)/178°(V)
Surface Treatment	Anti-Glare
Touch Screen	10 Points Projected Capacitive Touch Screen
Display Colors	16.7M
CPU Core Name	TIGER LAKE
CPU Socket	BGA-1449pin
CPU Number	Intel Core i7-1165G7
CPU Clock	2.8GHz
CPU Cores	4
TDP	28W
Cache	12 MB Intel® Smart Cache
Threads	8
Chipsets	N/A
Mic-in	NA
Headphone-out	NA
Lock type	Kensington
Memory Size	16GB(8GB*2)
Memory Type	DDR4 SDRAM
Memory Speed	1600(3200)MHz
Module Type	SO-DIMM
Memory Slot(Total)	2
Memory Slot(Free)	0
Max Capacity	Max 64GB
Adjustment (Tilt)	-4~20
Adjustment (Swivel)	N/A
Adjustment (Height)	0~130mm
Adjustment (Pivot)	N/A
SSD Interface	PCIe GEN3x4 w/o DRAM NVMe
SSD Form Factor	M.2-2280 M-KEY
SSD Config	256GB*1
SSD Size	256GB
HDD1 Interface	SATA GEN3
HDD1 Form Factor	2.5 inch 7mm
HDD1 Size	1TB*1
HDD1 RPM	7200RPM
ODD(Type)	N/A
ODD Height	N/A
ODD Type	N/A
M.2 slots(Total)	1
M.2 slots(Free)	0
2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	0
LAN	Realtek RTL8111H
WLAN	INTEL/AX201.NGWG.NVW
WLAN Version	802.11ax 2x2+BT
BT Version	5.1
Product Dimension with Stand (WxDxH) (mm)	541.4 x 194.68 x 534.92
Product Dimension with Stand (WxDxH) (inch)	21.31 x 7.66 x 21.06

Modern AM242TP 11M

MODERN AM242TP 11M-841EU

Audio Chipset	Realtek ALC233
Audio Type	2.1 Channel HD Audio
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
USB 3.2 Gen 2 Type C	2
USB 3.2 Gen 2 Type A	2
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 2.0 Type A	NA
Mic-inHeadphone-out combo	1
Headphone-out (HiFi SPDIF)	NA
Card Reader	NA
USB 3.2 Gen 2x2 Type C (R)	NA
USB 3.2 Gen 2x2 Type A (R)	NA
USB 3.2 Gen 2 Type C (R)	NA
USB 3.2 Gen 2 Type A (R)	NA
USB 3.2 Gen 1 Type C (R)	NA
USB 3.2 Gen 1 Type A (R)	NA
USB 2.0 Type C (R)	NA
USB 2.0 Type A (R)	2
RJ45	1
VGA out	NA
HDMI out	1x (v2.0)
HDMI in	1
DP out	NA
mini DP out	NA
PS2	NA
COM Port	NA
DVI-D out	NA
Mic-inHeadphone-out combo (R)	NA
Printer Port (Parallel)	NA
WebCam	internal webcam
Operating Systems	N/A
Weight (Net kg)	6.16
Weight (Gross kg)	8.45
AC Adapter Output	120W
Battery	N/A
Battery Whrs	N/A
Warranty	24M
Product Dimension with Holder (WxDxH) (mm)	N/A
Product Dimension with Holder (WxDxH) (inch)	N/A
Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
Inside Carton Dimension with Stand (WxDxH) (inch)	N/A
Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
AC Adaptor	1
Power Cord	1
Warranty Card	1
Quick Guide	3
User Manual	N/A
VESA Mount kit	N/A
Keyboard	RF1430

Modern AM242TP 11M

MODERN AM242TP 11M-841EU

Keyboard Interface	WIRELESS
Mouse	MA04
Mouse Interface	WIRELESS
EAN	4719072889807